

THE DOCUMENT COMPANY  
**FUJI XEROX**

# ApeosPort-II

## 7000 / 6000

Digital Multifunction Device



A multifunction **contender**  
with **lightning speed** & performance

# Your **all in one** feature packed performer

Introducing ApeosPort-II 7000/6000, Fuji Xerox's latest multifunction devices capable of producing exceptional quality output (up to 1,200 x 1,200 dpi) at incredible speeds of up to 75/65 ipm.

Built on Fuji Xerox's successful Apeos iiX (Apeos Internet Integration based on XML and SOAP) platform, the capabilities of these devices extend beyond those of a regular multifunction. Apeos iiX allows your MFD to become a document portal that can connect to various business critical applications that can be customised for your organisation.

Combining this platform with outstanding copy, print, scan and fax features will help improve workflows, increase productivity and protect intellectual property, saving you time and money.

## ApeosPort-II 7000/6000



Copy



Print



Scan



Fax



Email

## Functional Configurations...

Available with copying, printing, scanning and optional faxing functionality this device is equipped to manage the heaviest of workloads and can be configured with a range of paper tray and finishing options.

### Paper Tray Flexibility

ApeosPort-II 7000/6000 is available with the following paper trays as standard:

- 2 x Fully adjustable paper trays (A5 to A3)
- 2 x High capacity paper trays (A4 only)

For added paper capacity the following options are also available:

- 1 x High Capacity Feeder Tray (up to 2,000 sheets)  
OR
- 2 x High Capacity Feeder Trays (up to 4,000 sheets plus additional bypass tray paper capacity)

## Finishing Options

ApeosPort-II 7000/6000 can be configured to include any one of the following catch trays or finishers:

- Offset Catch Tray - collates and separates print documents
- C-Finisher - Stacker/Stapler/Puncher
- C-Finisher ++ - Stacker/Stapler/Puncher/Booklet Maker
- D2-Finisher - Stacker/Stapler/Puncher/Interposer
- D2-Finisher ++ - Stacker/Stapler/Puncher/Interposer/Booklet Maker
- Tri-Folder - C and Z folds (optional with both D-Finishers)

## Customisable User Interface

The standard customisable user interface allows you to standardise the look and feel of these and all other similarly equipped Fuji Xerox devices in your office.

## Configuration Options:



enhance your  
productivity with  
sophisticated  
copy and print  
features




# copy



Smooth and speedy copying is a given with your ApeosPort-II 7000/6000 devices. Operating at speeds of 75/65 ipm with up to 1,200 x 1,200 dpi copy resolution and a fast first copy out time of three seconds or less, these devices will help keep your office productive.


## Multiple-Up Copying

This cost saving feature conserves paper and toner by allowing users to copy/print multiple pages (up to 32 pages) on one sheet.



## Job Build

Merging and manipulating hardcopy documents made easy. This feature allows users to divide a copy job into numerous segments, apply unique settings to each, collate and print all segments, thus eliminating the need for manual copying and collation (see diagram below).



## Media Identification and Auto Tray Switching

The intuitive DADF reduces manual handling by automatically identifying (and reproducing size for size) original documents being copied. ApeosPort also maintains productivity by automatically switching paper trays when the current tray is emptied.

## Additional Copy Features

- Insert user defined annotations
- Watermark/Digital security watermark (optional)
- Covers insertion
- Poster creation

# print



In addition to speedy printing and quality output, ApeosPort-II 7000/6000 incorporates a range of sophisticated print features designed to improve and simplify your document production processes.

## WHQL Certified Print Drivers

The intuitive WHQL certified PCL6 and PostScript print drivers are standard features on this device and enable seamless integration with various industry standard operating systems.



An Adobe PostScript 3 print driver is also available if required

## Favourite Print Settings

Save time by storing the settings of frequently printed documents as favourites in your print driver. Settings include paper sizes, covers, duplexing, finishing and more.

## Driverless Printing

Conveniently, the ApeosPort-II 7000/6000's allow driverless printing of PDF, TIFF or PRN files from any network connected PC via the CentreWare Internet Services web utility. This is helpful for printing at remote locations without having to install print drivers.



Direct Printing to any Fuji Xerox device across your LAN/WAN

## Mailbox Print/Document Merge

Documents printed frequently by multiple users can be saved to a mailbox repository at the device for quick and easy retrieval on demand. Within an individual mailbox, multiple documents can also be merged to create one single document for print.

## Additional Print Features

- Secure print
- Delayed print
- Watermark/Digital security watermark (optional)
- Email print job confirmation

# scan

**Colour scanning**, a single pass duplexing automatic document feeder (in monochrome) and other enhanced features substantially simplify the process of digitising and distributing hardcopy documents at these devices.



## Single Pass Duplexing Automatic Document Feeder


ApeosPort's Duplexing Automatic Document Feeder saves time and reduces the likelihood of paper jams by scanning both sides of a double-sided monochrome document simultaneously. This allows it to maintain the same productivity in both simplex and duplex modes.

## Password Protect PDF Documents

Hardcopy documents scanned as PDF's can be password protected with restrictions imposed for opening, editing, selecting or printing the document.

## Job Flow Sheets

This feature allows you to route scanned documents to multiple destinations, (see diagram below):



## Browse Network Folders

This feature presents users with a hierarchical view of the entire network at the device through which they can navigate and select the destination for their scanned files. It helps eliminate the need to remember destination folder addresses for manual entry at the device.

## Additional Scan Features

- Restrict alterations to the scan to email "From" field
- Restrict access to addresses not listed in the local or mail server address books
- Online mailbox document retrieval to reduce mail server traffic

# fax

The optional fax feature available with the ApeosPort-II 7000/6000 can be configured with up to 3 lines or integrate with a number of server fax solutions. Regardless of the set-up, the robust capabilities of this fax solution will help streamline your fax workflows.

## Electronic Fax

Concerned about losing faxes in amongst other documents at your device? This feature provides peace of mind by routing incoming faxes to an email address, mailbox or network connected PC for retrieval and further distribution on demand.

## Fax Restriction

Restrict users from sending faxes to numbers not listed in the address book. This will help protect confidential documents and reduce costs by preventing users from using the fax function for non-business purposes.

## Server Fax Integration

The Server Fax option available with ApeosPort-II 7000/6000 allows it to integrate with your organisation's applicable existing server fax solution.

## Additional Fax Features:

- PC Fax – send faxes directly from your PC print driver
- Storing undelivered faxes at the device to be re-sent.

## Device Management

Control the costs associated with your ApeosPort-II 7000/6000 and administer the device using the following management tools included for FREE:

**Xerox Standard Accounting** - limit the quantity of print, copy, scan and fax jobs individual users can produce and track usage via CSV file.

**CentreWare Internet Services** - configure device settings, monitor usage/consumables, upload address books, enable Auditron and much more.

Upload email/fax address books as csv files

Configure mailboxes


Configure auditron

Monitor paper tray/  
consumables status

Monitor job queues

Submit driverless print jobs





a winning  
combination with  
outstanding  
scan and fax  
workflows

## Image Gateway for Apeos

Want to extend the capabilities of your multifunction device to include enhanced scanning, faxing and/or cost recovery capabilities? Now with Fuji Xerox's range of exclusive Apeos solutions you can.

Fuji Xerox has partnered with Nuance, Captaris and Bear Solutions, leading suppliers of document workflow, fax server and cost recovery technologies to co-develop a range of innovative solutions that will integrate with your ApeosPort devices to help streamline workflows, improve efficiency, manage costs and much more.

### RightFax for Apeos

A fax server solution, RightFax for Apeos provides fax capabilities even when faxing has not been enabled on your ApeosPort device. Faxes can be sent at the device or via the user's PC. At the device, users are given the option to attach a predefined cover sheet, specify a send time/date, request a job confirmation and more. Sent and received faxes can also be tracked via the web access utility at any network connected PC.


### OmniPage for Apeos

This scanning solution provides users with the extended ability to digitise hard copy documents as text only or text searchable PDF files. Documents can be deskewed and/or rotated as required prior to distribution to an email address or network repository.

### XCMS for Apeos

XCMS for Apeos is a comprehensive cost recovery solution that works with a range of swipe/proximity cards to capture usage data for all the copies, prints, scans and faxes produced by individual users on your fleet of ApeosPort devices (including the above mentioned RightFax and OmniPage for Apeos applications).

Combining XCMS for Apeos with RightFax and OmniPage for Apeos extends its feature sets even further to include the powerful "My Prints" and "My Faxes" options from any enabled ApeosPort device on your organisation's LAN or WAN.



## Specifications & Configurations

### ITEMS

### SPECIFICATIONS

#### Output Speed - Printing and Copying

	ApeosPort-II 7000	ApeosPort-II 6000
A4 monochrome	75 ipm	65 ipm
A3 monochrome	37 ipm	33 ipm

#### NETWORK PRINTING

Processor	Power PC e300 667MHz
Memory	768 MB
Hard Disk	40 GB
Interface	Standard: Ethernet 100Base-TX/10Base-T Optional: USB 2.0
Printer Languages	Standard: PCL6, PCL5, Optional: Adobe PostScript 3
Resolution	Up to 1,200 x 1,200 dpi
Operating Systems	Microsoft® Windows 2000, Microsoft® Windows XP, Microsoft® Windows Server 2003, Microsoft® Windows Vista, Mac OS 8.6 - Mac OS 9.2.2 English, Mac OS X 10.3.9 -10.4.9 English

#### COPYING

FCOT	3 seconds
Concurrency	Yes
Resolution	Up to 1,200 x 1,200 dpi

#### NETWORK SCANNING

Input Speed	Colour: 50 ipm. Monochrome: up to 200 ipm
Resolution	600/400/300/200 dpi
Maximum Scan Area	A3
Network Protocol (Network Scanning)	TCP/IP (Salutation, SMTP, HTTP, SMB, FTP)
File Formats	Standard: TIFF, JPEG, PDF, DocuWorks Optional: High Compression PDF
Scan Workflows	Email, folder/server (via SMB/FTP protocol), mailbox, Job flow sheets etc

#### FACSIMILE (OPTIONAL)

Transmission Time	3 seconds or less
Number of Lines	Up to 3 lines
Speed Dials/Group Dials	70/50
Sending Document Size	A5 to A3

#### PAPER HANDLING - DADF

Capacity	250 sheets
Paper Sizes	A5 to A3
Paper Weights	38 to 200 gsm

#### PAPER HANDLING - TRAYS 1 & 2

Capacity	500 sheets per tray
Paper Sizes	A5 to A3
Weights	52 to 200 gsm

#### PAPER HANDLING - TRAY 3

Capacity	1,490 sheets
Paper Sizes	A5 to A4
Weights	52 to 200 gsm

#### PAPER HANDLING - TRAY 4

Capacity	1,860 sheets
Paper Sizes	A5 to A4
Weights	52 to 200 gsm

#### PAPER HANDLING - BYPASS TRAY

Capacity	Standard Tray: 100 sheets Standard Tray (with High Capacity Feeder x 2): 250 sheets
Paper Sizes	Up to A3
Weights	Standard Tray: 52 to 250 gsm Standard Tray (with High Capacity Feeder x 2): 52 to 280 gsm

## Optional Accessories

#### HIGH CAPACITY FEEDER X 1

Capacity	2,000 sheets (1 x tray)
Paper Sizes	B5 to A4
Weights	52 to 200 gsm

#### HIGH CAPACITY FEEDER X 2

Capacity	4,000 sheets (2 x Trays)
Paper Sizes	B5 to A4
Weights	52 to 200 gsm

#### C-FINISHER: STACKER/STAPLER/PUNCHER

Stacker Capacity	Up to 3,000 sheets
Stapler Capacity	50 sheets
Stapler Paper Sizes	B5 to A3

#### C-FINISHER ++: STACKER/STAPLER/PUNCHER/BOOKLET MAKER

Stacker Capacity	Up to 1,500 sheets
Stapler Capacity	50 sheets
Stapler Paper Sizes	B5 to A3
Booklet Maker Paper Sizes	A4 to A3
Booklet Maker Paper Weights	15 sheets (at 90 gsm) OR 13 sheets (at 90 gsm) PLUS 1 cover sheet (at 90 to 200 gsm)

#### D2-FINISHER: STACKER/STAPLER/PUNCHER/INTERPOSER

Stacker Capacity	Up to 3,000 sheets
Stapler Capacity	100 sheets
Stapler Paper Sizes	B5 to A3

#### D2-FINISHER++: STACKER/STAPLER/PUNCHER/INTERPOSER/BOOKLET MAKER

Stacker Capacity	Up to 2,000 sheets
Stapler Capacity	100 sheets
Stapler Paper Sizes	B5 to A3
Booklet Maker Paper Sizes	A4 to A3
Booklet Maker Paper Weights	15 sheets (at 90 gsm) OR 13 sheets (at 90 gsm) PLUS 1 cover sheet (at 90 to 200 gsm)

#### HOLE PUNCHER (STANDARD WITH ALL FINISHERS)

Puncher Paper Sizes	B5 to A3
Puncher Paper Weights	90 to 200 gsm
Number of Holes	Standard: 2 and 4 holes, Optional: 3 holes

#### TRI-FOLDER (OPTIONAL WITH BOTH D-FINISHERS)

Fold Types	C or Z folds
Paper Sizes	A4 to A3
Paper Weights	60 to 90 gsm

#### GENERAL

Electrical Requirements	240V, 10A
Power Consumption	1,800 w
Warm up	30 seconds
Dimensions	From 1,491 mm x 815 mm x 1,166 mm (W x D x H)
Weight	195kg or less

\* Scanning A4 LEF double sided document at 200 dpi to a mailbox

